

-2-

Amendments to the Claims

Please cancel Claims 1, 35-36 and 39. Please amend Claims 2, 4, 6, 19, 26-28, 30-32, 40, 42, 44, 57, 64-66 and 68-70. The Claim Listing below will replace all prior versions of the claims in the application:

Claim Listing

1. (canceled)
2. (currently amended) The method of Claim [[1]] 6, wherein the step of comparing umbilics comprises:
determining whether locations of the umbilics of the suspect surface match within a specified margin umbilics of the original surface.
3. (original) The method of Claim 2, wherein the step of comparing umbilics further comprises:
determining whether pattern types of umbilics of the suspect surface match pattern types of corresponding umbilics of the original surface.
4. (currently amended) The method of Claim [[1]] 6, further comprising:
manipulating at least one of the surfaces so that characteristics of the two surfaces approximately match.
5. (original) The method of Claim 4, wherein the step of manipulating comprises at least one of translating, rotating and scaling.
6. (currently amended) ~~The method of Claim 1, further~~ A method for determining whether a suspect 3-D surface has been copied from an original 3-D surface, comprising:
performing a weak test, the weak test comprising:

-3-

comparing corresponding points of the two surfaces to check that the corresponding points are located within a specified distance margin of each other;

comparing umbilics of the two surfaces; and

determining whether the suspect surface is a copy of the original surface responsive to said steps of comparing.

7. (original) The method of Claim 6, the step of comparing umbilics being performed responsive to the weak test.
8. (original) The method of Claim 6, further comprising:
modifying the specified margin; and
repeating the weak test using the modified margin.
9. (original) The method of Claim 6, the weak test generating statistics.
10. (original) The method of Claim 9, the step of comparing umbilics being performed responsive to the generated statistics.
11. (original) The method of Claim 6, further comprising:
performing an intermediate test, comprising:
on each surface, computing the principal directions of lines of curvature at each grid point; and
comparing the computed directions of lines of curvature for corresponding gridpoints on the surfaces to check that the directions are within a specified angular margin of each other.
12. (original) The method of Claim 11, further comprising:
determining whether the suspect surface is a copy of the original surface responsive to the intermediate test.

-4-

13. (original) The method of Claim 11, the intermediate test being performed responsive to the weak test.
14. (original) The method of Claim 11, the intermediate test being performed responsive to statistics generated by the weak test.
15. (original) The method of Claim 11, further comprising:
 - modifying the angular margin; and
 - repeating the intermediate test using the modified angular margin.
16. (original) The method of Claim 11, the intermediate test generating statistics.
17. (original) The method of Claim 16, the step of comparing umbilics being performed responsive to the statistics generated by the intermediate test.
18. (original) The method of Claim 11, the step of comparing umbilics being performed responsive to the intermediate test.
19. (currently amended) ~~The method of Claim 1, further~~ A method for determining whether a suspect 3-D surface has been copied from an original 3-D surface, comprising:
 - performing ~~an intermediate~~ a test, comprising:
 - on each surface, computing the principal directions of lines of curvature at each grid point; and
 - comparing the computed directions of lines of curvature for corresponding gridpoints on the surfaces;
 - comparing umbilics of the two surfaces; and
 - determining whether the suspect surface is a copy of the original surface responsive to said steps of comparing.

-5-

20. (original) The method of Claim 19, wherein comparing the computed directions of lines of curvature comprises checking that the directions are within a specified angular margin of each other.
21. (original) The method of Claim 20, further comprising:
 - modifying the angular margin; and
 - repeating the intermediate test using the modified angular margin.
22. (original) The method of Claim 19, the intermediate test generating statistics.
23. (original) The method of Claim 22, the step of comparing umbilics being performed responsive to the statistics generated by the intermediate test.
24. (original) The method of Claim 19, further comprising:
 - determining whether the suspect surface is a copy of the original surface responsive to the intermediate test.
25. (original) The method of Claim 19, the step of comparing umbilics being performed responsive to the intermediate test.
26. (currently amended) The method of Claim ~~[[1]]~~ 6, wherein the surfaces are closed.
27. (currently amended) The method of Claim ~~[[1]]~~ 6, wherein the surfaces are bordered.
28. (currently amended) The method of Claim ~~[[1]]~~ 6, wherein at least one of the surfaces is represented using parametric modeling.
29. (original) The method of Claim 28 wherein parametric modeling is based on non-uniform rational B-splines (NURBS).

-6-

30. (currently amended) The method of Claim [[1]] 6, wherein at least one of the surfaces is represented using polygons.
31. (currently amended) The method of Claim [[1]] 6, wherein at least on of the surfaces is represented using implicit modeling.
32. (currently amended) The method of Claim [[1]] 6, further comprising:
 - maintaining a registry of 3-D shapes to be used in comparisons with the suspect surface.
33. (original) The method of Claim 32, further comprising:
 - indexing the maintained shapes according to umbilic locations and their associated pattern types.
34. (original) A method for determining whether a 3-D surface under examination has been copied from a 3-D surface model, comprising:
 - translating, rotating and scaling at least one of the surfaces, position, orientation and size of the surface under examination being approximately those of the model surface;
 - for each surface, determining a wireframe grid based on lines of curvature;
 - comparing grid points on the wireframes of the two surfaces;
 - if the grid points are within a specified margin of each other
 - determining umbilics and their associated patterns and comparing between the two surfaces;
 - if the umbilics between the two surfaces match within a specified margin and their associated patterns are the same, determining that the surface under examination has been copied from the model surface.
35. (canceled)

-7-

36. (canceled)
37. (original) A system for determining whether a suspect 3-D surface has been copied from an original 3-D surface, comprising:
- means for manipulating at least one of the surfaces;
 - means for determining, for each surface, a wireframe grid based on lines of curvature;
 - means for comparing grid points on the wireframes of the two surfaces;
 - means for determining umbilics and their associated patterns; and
 - means for comparing locations of the umbilics and for comparing pattern types associated with the umbilics.
38. (original) A computer program product for determining whether a suspect 3-D surface has been copied from an original 3-D surface, the computer program product comprising a computer usable medium having computer readable code thereon, including program code which:
- manipulates at least one of the surfaces;
 - determines, for each surface, a wireframe grid based on lines of curvature;
 - compares grid points on the wireframes of the two surfaces;
 - determines umbilics and their associated patterns; and
 - compares locations of the umbilics and pattern types associated with the umbilics.
39. (canceled)
40. (currently amended) The system of Claim 39 ~~44~~, the comparator determining whether locations of the umbilics of the suspect surface match within a specified margin umbilics of the original surface.

-8-

41. (original) The system of Claim 40, the comparator further determining whether pattern types of umbilics of the suspect surface match pattern types of corresponding umbilics of the original surface.
42. (currently amended) The system of Claim 39 ~~44~~, further comprising:
a manipulator which manipulates at least one of the surfaces so that characteristics of the two surfaces approximately match.
43. (original) The system of Claim 42, wherein the manipulator performs at least one of translating, rotating and scaling.
44. (currently amended) ~~The system of Claim 39, further~~ A system for determining whether a suspect 3-D surface has been copied from an original 3-D surface, comprising:
a weak condition tester which compares corresponding points of the two surfaces to check that the corresponding points are located within a specified distance margin of each other;
a comparator which compares locations and associated pattern types of umbilics of the two surfaces; and
an analyzer which determines whether the suspect surface is a copy of the original surface responsive to said tester and comparator.
45. (original) The system of Claim 44, the comparator comparing umbilics responsive to the weak test.
46. (original) The system of Claim 44, the weak condition tester repeating its comparison with a modified distance margin.
47. (original) The system of Claim 44, the weak condition tester generating statistics.

-9-

48. (original) The system of Claim 47, the comparator comparing umbilics responsive to the generated statistics.
49. (original) The system of Claim 44, further comprising:
an intermediate condition tester, which:
computes, for each surface, the principal directions of lines of curvature at each grid point; and
compares the computed directions of lines of curvature for corresponding gridpoints on the surfaces.
50. (original) The system of Claim 49, the intermediate condition tester further determining whether the suspect surface is a copy of the original surface responsive to the intermediate test.
51. (original) The system of Claim 49, the intermediate condition tester executing responsive to the weak condition tester.
52. (original) The system of Claim 49, the intermediate condition tester performing responsive to statistics generated by the weak test.
53. (original) The system of Claim 49, the intermediate condition tester repeating the intermediate test using a modified angular margin.
54. (original) The system of Claim 49, the intermediate condition tester generating statistics.
55. (original) The system of Claim 54, the comparator comparing umbilics responsive to the statistics generated by the intermediate condition tester.
56. (original) The system of Claim 49, the comparator comparing umbilics responsive to the intermediate condition tester.

-10-

57. (currently amended) ~~The system of Claim 39 further~~ A system for determining whether a suspect 3-D surface has been copied from an original 3-D surface, comprising:
 ~~an intermediate condition a tester, which:~~
 computes, for each surface, the principal directions of lines of curvature at each grid point; and
 compares the computed directions of lines of curvature for corresponding gridpoints on the surfaces;
 a comparator which compares locations and associated pattern types of umbilics of the two surfaces; and
 an analyzer which determines whether the suspect surface is a copy of the original surface responsive to said tester and comparator.
58. (original) The system of Claim 57, the intermediate condition tester comparing the computed directions of lines of curvature by checking that the directions are within a specified angular margin of each other.
59. (original) The system of Claim 58, the intermediate condition tester
 modifying the angular margin; and
 repeating the intermediate test using the modified angular margin.
60. (original) The system of Claim 57, the intermediate condition tester generating statistics.
61. (original) The system of Claim 60, the comparator comparing umbilics responsive to the statistics generated by the intermediate condition tester.
62. (original) The system of Claim 57, the intermediate condition tester further determining whether the suspect surface is a copy of the original surface.
63. (original) The system of Claim 57, the comparator comparing umbilics responsive to the intermediate condition tester.

-11-

64. (currently amended) The system of Claim ~~39~~ 44, wherein the surfaces are closed.
65. (currently amended) The system of Claim ~~39~~ 44, wherein the surfaces are bordered.
66. (currently amended) The system of Claim ~~39~~ 44, wherein at least one of the surfaces is represented using parametric modeling.
67. (original) The system of Claim 66 wherein parametric modeling is based on non-uniform rational B-splines (NURBS).
68. (currently amended) The system of Claim ~~39~~ 44, wherein at least one of the surfaces is represented using polygons.
69. (currently amended) The system of Claim ~~39~~ 44, wherein at least one of the surfaces is represented using implicit modeling.
70. (currently amended) The system of Claim ~~39~~ 44, further comprising:
a registry of 3-D shapes to be used in comparisons with the suspect surface.
71. (original) The system of Claim 70, the maintained shapes being indexed according to umbilic locations and their associated pattern types.